



Thermostat immersion “Termotronic II”

TEMPERATURE CONTROLLABLE FROM AMBIENT +5 °C TO 100 °C.

NEW DESIGN

SAFETY:
STANDARD DIN 12879.2
SAFETY OVER TEMPERATURE THERMOSTAT WITH SIGNAL LAMP ALARM

FEATURES

Electronic temperature control.
 Pt100 temperature sensor.
 Maximum volume to maintain maximum temperature: 20 litres. Heater elements made of INCOLOY stainless steel.
 Fitted with a stirring circulating pump.
 All parts in contact with liquids made of stainless steel AISI 304
 Fixing nut on the side.
 Minimum required tank depth: 14 cm

MODEL

CONTROL PANEL

Illuminated mains switch.
 Temperature control selector.
 Heater “on” indicator lamp.



Part No.	Temp. Range °C	Stability °C	Height / Width / Depth (exterior) cm	Pump Pressure / Flowrate H ₂ O	Power W	Weight Kg
3000389	Amb.+5 to 100	±0.2	32* 11 16	150 mbar 5 l/min.	1000	2.5

* Height measured with the thermometer included.
 It is supplied with a thermometer.

ACCESSORIES

Methacrylate tank “Clinic-Term”

Part No.	Capacity litres	Temp. max. °C	Height / Width / Depth (usable) cm	Capacity Rack	Weight Kg
1000544	8	60	14 16 39	4	2

Racks for the “Clinic-Term” made of AISI 304 stainless steel.

Racks for 50 micro-tubes of 11mm Ø. Part No. **1000546**

Racks for 50 haemolysis tubes and coagulation tests with a diameter of 13 mm. Part No. **1000545**

Racks for 14 tubes with a diameter of 18mm. Part No. **1000547**

Racks for 8 cuvettes for spectrophotometers, 10 mm square, standard for monotest flask of different sizes. Part No. **1000548**

Note: The methacrylate tank should not be used over 60 °C.

Methacrylate transparent tank.

Designed to be used with the immersion thermostat “Termotronic II”.

Part No.	Capacity litres	Temp. max. °C	Height / Width / Depth (usable) cm	Capacity Rack	Weight Kg
1000397	7	60	10 20 38	4	2

Rack for 24 haemolysis tubes up to 13 mm Ø, made from AISI304 S.S. Part No. **1002532**

Rack for 14 test tubes up to 16 mm Ø, made from AISI 304 S.S. Part No. **1002531**

Metal baths. Manufactured with a double external AISI 304 stainless steel skin and an AISI 310 stainless steel pressed bath interior.

Part No.	Capacity litres	Height / Width / Depth (usable) cm	Height / Width / Depth (exterior) cm	Weight Kg
6000390	9	15 29 22	20 34 28	3.5
6000391	12	15 30 31	20 37 35	4.3
6000392*	20	15 48 30	20 55 35	6.6
6000393*	27	20 48 30	25 55 35	7.6
6001093*	45	15 62 50	23 70 56	11

* With drain tap and lifting handles.

